

**UNCLASSIFIED**

*NSA/CSS EPL-02-01-M  
Annex A to NSA/CSS 02-01  
29 April 2005*

**NSA/CSS EVALUATED PRODUCTS LIST  
for  
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains a listing of high security crosscut paper shredders that have been evaluated by the National Security Agency (NSA) or its designee and meet the performance requirements of NSA/CSS Specification 02-01, High Security Crosscut Paper Shredders. Inclusion of a product in the EPL is not an endorsement by NSA or the U.S. Government.

The EPL provides the shredder device name and/or model number, the manufacturer, and appropriate contact data for the distributor and/or marketing agent. Shredders are listed alphabetically by distributor name. The EPL also describes the shredder feed throat width and quantity of paper shredded in a one hour durability test.<sup>1</sup>

The EPL shall be updated on a quarterly basis. Users are encouraged to contact shredder manufacturers /distributors for assistance in selecting unit(s) best suited to their requirements, and to determine if additional shredder units have been added to the EPL in the interim.

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should be forwarded through designated customer support channels to the NSA Information Assurance Directorate. All other inquiries should be directed to the NSA Public Affairs Office.

---

<sup>1</sup> All test were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheet per ream

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
<b>Capital Shredder Corp./ K-9</b>	<b>Capital Shredder Corp./ Elcoman / Kobra</b>	Capital Shredder Corp. 5550 Wilkins Court Rockville, MD 20852 URL: www.papershredders.com  Mr. Gregory V. Di Gioia Mr. H. Kim Jones Tel: 301-770-3900, Fax: 301-770-4286	9 ½ inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ K-10</b>	<b>Capital Shredder Corp./ Elcoman / Kobra</b>	Capital Shredder Corp.	10 ¼ inches	8 reams when feeding 4 sheets
<b>Capital Shredder Corp./ K-10E</b>	<b>Capital Shredder Corp./ Elcoman / Kobra</b>	Capital Shredder Corp.	10 ¼ inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ K-16</b>	<b>Capital Shredder Corp./ Elcoman / Kobra</b>	Capital Shredder Corp.	16 inches	17 reams when feeding 8 sheets
<b>Capital Shredder Corp./ M-9</b>	<b>Capital Shredder Corp. / Dahle North America, Inc.</b>	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-10</b>	<b>Capital Shredder Corp. / Dahle North America, Inc.</b>	Capital Shredder Corp.	10 inches	10 reams when feeding 3 sheets

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Capital Shredder Corp./ M-12</b>	<b>Capital Shredder Corp./ Dahle North America, Inc.</b>	Capital Shredder Corp.	12 inches	10 reams when feeding 4 sheets
<b>Capital Shredder Corp./ M-16</b>	<b>Capital Shredder Corp./ Dahle North America, Inc.</b>	Capital Shredder Corp.	16 inches	11 reams when feeding 5 sheets
<b>Capital Shredder Corp./ M-16 TS</b>	<b>Capital Shredder Corp./ Dahle North America, Inc.</b>	Capital Shredder Corp.	16 inches	11 reams when feeding 5 sheets
<b>Cummins- Allison/ 539</b>	<b>Cummins-Allison Corp./ HSM GMBH</b>	Cummins-Allison Corp. 201 Davis Drive, Unit O Sterling, VA 20164-4418  Mr. Lyle Berlin E- mail: berlinl@cumminsallison.com Tel: 800-875-4238, FAX: 703-444-8843	10 ½ inches	9 reams when feeding 3 sheets
<b>Cummins- Allison/ 549</b>	<b>Cummins-Allison Corp./ HSM GMBH</b>	Cummins-Allison Corp.	12 inches	11 reams when feeding 5 sheets
<b>Cummins- Allison/ 559</b>	<b>Cummins-Allison Corp./ HSM GMBH</b>	Cummins-Allison Corp.	16 inches	11 reams when feeding 4 sheets
<b>Cummins- Allison/ 569</b>	<b>Cummins-Allison Corp./ HSM GMBH</b>	Cummins-Allison Corp.	16 inches	15 reams when feeding 8 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Dahle/ 20434DCX</b>	<b>Dahle North America, Inc./ Dahle North America, Inc.</b>	Dahle North America, Inc. 375 Jaffrey Road Peterborough, NH 03458 URL: www.dahleusa.com  Mr. Gregory C. Rillings Mr. Scott A. Prokop Tel: 800-995-1379, Fax: 603-924-1616	9 inches	4 reams when feeding 3 sheets
<b>Dahle/ 20634DS</b>	<b>Dahle North America, Inc./ Dahle North America, Inc.</b>	Dahle North America, Inc.	9 inches	4 reams when feeding 3 sheets
<b>Dahle/ 20634EC</b>	<b>Dahle North America, Inc./ Dahle North America, Inc.</b>	Dahle North America, Inc.	10 inches	10 reams when feeding 3 sheets
<b>Dahle/ 20835EC</b>	<b>Dahle North America, Inc./ Dahle North America, Inc.</b>	Dahle North America, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Dahle/ 20394</b>	<b>Dahle North America, Inc./ Dahle North America, Inc.</b>	Dahle North America, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Dahle/ 33134</b>	<b>Dahle North America, Inc./ Dahle North America, Inc.</b>	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
<b>Rexel/ 1250-S6</b>	<b>Ecco Business Systems/ HSM GMBH</b>	Ecco Business Systems 55 West 39 <sup>th</sup> Street New York, NY 10018  Mr. Edward Clumpp Tel: 212-921-4545, FAX: 212-921-2198	10 ½ inches	9 reams when feeding 3 sheets
<b>Rexel/ 2250-S6</b>	<b>Ecco Business Systems / HSM GMBH</b>	Ecco Business Systems	12 inches	11 reams when feeding 5 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Rexel/ 3150-S6</b>	<b>Ecco Business Systems / HSM GMBH</b>	Ecco Business Systems	16 inches	11 reams when feeding 4 sheets
<b>Rexel/ 4550-S6</b>	<b>Ecco Business Systems / HSM GMBH</b>	Ecco Business Systems	16 inches	15 reams when feeding 8 sheets
<b>Fellowes/ C-320HS</b>  (formerly 320-2 HS)	<b>Fellowes Business Machines / HSM GMBH</b>	Fellowes Business Machines 1789 Norwood Avenue Itasca, IL 60143-1095  Mr. Paul Kossack E-mail: pkossack@fellowes.com Tel: 630-893-1600, FAX: 630-893-1648	10 ½ inches	9 reams when feeding 3 sheets
<b>Fellowes/ C-420HS</b>  (formerly 420-2 HS)	<b>Fellowes Business Machines / HSM GMBH</b>	Fellowes Business Machines	12 inches	11 reams when feeding 5 sheets
<b>Fellowes/ C-480HS</b>  (formerly 480-2 HS)	<b>Fellowes Business Machines / HSM GMBH</b>	Fellowes Business Machines	16 inches	11 reams when feeding 4 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
GBC/ 3890D	General Binding Corporation / IDEAL-Werk Krug and Priester	General Binding Corporation (GBC) 5700 Old Orchard Road Skokie, IL 60077  Customer Service E-mail: ContactUs@gbc.com Tel: 1-800-541-0094 Fax: 662-720-1507	9 inches	5 reams when feeding 3 sheets
Geha Primo/ 2600 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc. 1075 Andrew Drive, Suite C West Chester, PA 19382 URL:www.hsmofamerica.com  Sandra Corker E-mail: sandrac@hsmofamerica.com Tel: 540-894-4428, FAX: 540-894-4432	10 ½ inches	9 reams when feeding 3 sheets
Geha Primo/ 2700 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets
Geha Primo/ 3900 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
Geha Primo/ 4001 HS Level 6	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>HSM/ 125.2HS Level 6</b>	<b>HSM of America, Inc. / HSM GMBH</b>	HSM of America, Inc.	10 ½ inches	9 reams when feeding 3 sheets
<b>HSM/ 225.2HS Level 6</b>	<b>HSM of America, Inc. / HSM GMBH</b>	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets
<b>HSM/ 390.2HS Level 6</b>	<b>HSM of America, Inc. / HSM GMBH</b>	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
<b>HSM/ 411.2HS Level 6</b>	<b>HSM of America, Inc. / HSM GMBH</b>	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>Kobra 240 HS6</b>	<b>Marquis Business Systems, L.L.C. / Elcoman / Kobra</b>	Rockville Office Machines 12264 Wilkins Avenue Rockville, MD 20852 www.rockvilleofficemachines.com  Roger Bolling Tel: 301-468-1973 FAX: 301-468-9566	9 ½ inches	4 reams when feeding 3 sheets
<b>Kobra 260 HS6</b>	<b>Marquis Business Systems, L.L.C. / Elcoman / Kobra</b>	Rockville Office Machines	10 ¼ inches	4 reams when feeding 3 sheets
<b>Kobra 260 HS2/6</b>	<b>Marquis Business Systems, L.L.C. / Elcoman / Kobra</b>	Rockville Office Machines	10 ¼ inches	8 reams when feeding 4 sheets
<b>Kobra 400 HS6</b>	<b>Marquis Business Systems, L.L.C. / Elcoman / Kobra</b>	Rockville Office Machines	16 inches	17 reams when feeding 8 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Olympia/ 1300.1C</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc. <sup>2</sup></b>  2. Formerly Schleicher and Company of America, Inc.	Olympia Business Systems, Inc. 5715 Clyde Rhyne Drive Sanford, NC 27330 URL: www.olympia.to  E-mail: gsasales@olympia.to Tel: 800-832-4727 FAX: 919-775-1387	9 ¼ inches	8 reams when feeding 3 sheets
<b>Olympia/ D1300.1C (Deployment Shredder)</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>Olympia/ 1500.1C</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Olympia/ D1500.1C (Deployment Shredder)</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Olympia/ 1650.1C</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Olympia/ 1702.1C</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	16 inches	19 reams when feeding 8 sheets
<b>Olympia/ 1750.1C</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Olympia/ 1800.1C</b>	<b>Olympia Business Systems, Inc. / Martin Yale Industries, Inc.</b>	Olympia Business Systems, Inc.	12 inches	15 reams when feeding 8 sheets

UNCLASSIFIED



## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
SEM/ 1124C/1	Security Engineered Machinery/ HSM GMBH	Security Engineered Machinery 5 Walkup Drive Westboro, MA 01581 URL: www.fedshred.com  Federal Sales: Terry Creek E-mail: t.creek@olg.com Tel: 800-645-1157, FAX: 301-568-4005	8 ¾ inches	4 reams when feeding 3 sheets
SEM/ 126C/2	Security Engineered Machinery/ HSM GMBH	Security Engineered Machinery	10 ½ inches	9 reams when feeding 3 sheets
SEM/ 2226CC	Security Engineered Machinery/ IDEAL-Werk Krug and Priester	Security Engineered Machinery	10 ¼ inches	11 reams when feeding 5 sheets
SEM/ 226C/2	Security Engineered Machinery/ HSM GMBH	Security Engineered Machinery	12 inches	11 reams when feeding 5 sheets
SEM/ 244/3	Security Engineered Machinery / EBA Krug & Priester Gmbh & Co	Security Engineered Machinery	10 ¼ inches	8 reams when feeding 4 sheets
SEM/ 266	Security Engineered Machinery / EBA Krug & Priester Gmbh & Co	Security Engineered Machinery	13 ¾ inches	21 reams when feeding 8 sheets
SEM/ 391C/2	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets
SEM/ 3140C/3	Security Engineered Machinery / EBA Krug & Priester Gmbh & Co	Security Engineered Machinery	16 inches	14 reams when feeding 5 sheets
SEM/ 455/2	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	15 reams when feeding 8 sheets
SEM/ 5140C/3	Security Engineered Machinery / EBA Krug & Priester Gmbh & Co	Security Engineered Machinery	16 inches	23 reams when feeding 8 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Destroyit / 2350 SMC</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc. 12410 Washington Avenue Rockville, MD 20852 URL: www.whitakerbrothers.com  Joseph Mitchell E-mail: gsa@whitakerbrothers.com Tel: 800-243-9226, FAX: 301-770-9217	9 inches	5 reams when feeding 3 sheets
<b>Destroyit/ 2600 SMC</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Destroyit/ 2602 SMC</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Intimus/ 007SF</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Intimus/ 007SF Retro-fit</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Intimus/ 0077SF</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Intimus/ 0077SL</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	12 inches	15 reams when feeding 8 sheets
<b>Intimus/ 302SF</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>Intimus/ 502SF</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Intimus/ 602SF</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 5 sheets

UNCLASSIFIED

## UNCLASSIFIED

NSA/CSS EPL-02-01-M, 29 April 2005

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Intimus/ 702SF</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	16 inches	19 reams when feeding 8 sheets
<b>Whitaker Brothers / DS-3 (Deployment Shredder)</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
<b>Whitaker Brothers / DS-4 (Deployment Shredder)</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
<b>Whitaker Brothers/ DS-5 (Deployment Shredder)</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ DS-6 (Deployment Shredder)</b>	<b>Whitaker Brothers, Inc. / IDEAL-Werk Krug and Priester</b>	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ DS-7 (Deployment Shredder)</b>	<b>Whitaker Brothers, Inc. / Martin Yale Industries, Inc.</b>	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets

UNCLASSIFIED